

---

# Central Oregon Stormwater Manual

---



---

Updated August 2010



**THIS PAGE IS INTENTIONALLY LEFT BLANK**

# Central Oregon Stormwater Manual

---

Developed in Conjunction With:

Crook County  
Deschutes County  
City of Bend  
City of Madras  
City of Prineville  
City of Redmond  
City of Sisters

Oregon Association of Clean Water Agencies  
Central Oregon Community Investment Board



Updated August 2010

**THIS PAGE IS INTENTIONALLY LEFT BLANK**

# TABLE OF CONTENTS

TABLE OF CONTENTS.....	i
Foreword.....	ix
Glossary.....	xv
Acronyms.....	xxv
CHAPTER 1 - INTRODUCTION	
1.1 Applicability.....	1 - 1
1.2 Oregon Drainage Law .....	1 - 1
1.3 Department of Environmental Quality.....	1 - 2
1.3.1 NPDES Permitted Communities.....	1 - 2
1.3.2 Underground Injection Control Rule .....	1 - 3
1.4 General Requirements.....	1 - 4
1.4.1 Standard of Care .....	1 - 5
1.4.2 Severability .....	1 - 5
1.4.3 Process and Appeals .....	1 - 5
CHAPTER 2 – BASIC REQUIREMENTS	
2.1 Introduction .....	2 - 1
2.1.1 New Development .....	2 - 1
2.1.2 Redevelopment .....	2 - 2
2.1.3 Exemptions .....	2 - 2
2.1.4 Partial Exemptions.....	2 - 3
2.1.5 Exceptions.....	2 - 4
2.2 Basic Requirements.....	2 - 4
2.2.1 Basic Requirement #1 – Drainage Submittal.....	2 - 4
2.2.2 Basic Requirement #2 – Geotechnical Site Characterization .....	2 - 5
2.2.3 Basic Requirement #3 – Water Quality Treatment.....	2 - 6
2.2.4 Basic Requirement #4 – Flow Control.....	2 - 10
2.2.5 Basic Requirement #5 – Natural and Constructed Conveyance Systems.....	2 - 12
2.2.6 Basic Requirement #6 – Erosion and Sediment Control (ESC) .....	2 - 14
2.2.7 Basic Requirement #7 – Source Control.....	2 - 15
2.2.8 Basic Requirement #8 – Operation and Maintenance.....	2 - 15
Appendix 2A – Basic Requirements Flow Charts .....	2A - 1
Appendix 2B – Appropriate BMPs for Challenging Sites.....	2B - 1
CHAPTER 3 – DRAINAGE SUBMITTALS	
3.1 Introduction .....	3 - 1
3.2 Applicability.....	3 - 1
3.3 Concept Drainage Report.....	3 - 3
3.3.1 Introduction.....	3 - 3
3.3.2 Concept Drainage Report Applicability.....	3 - 3
3.3.3 Exemptions .....	3 - 4
3.3.4 Scope.....	3 - 4
3.3.5 Procedural .....	3 - 5

3.4 Full Drainage Report..... 3 - 5

    3.4.1 Introduction..... 3 - 5

    3.4.2 Narrative ..... 3 - 6

    3.4.3 Figures..... 3 - 7

    3.4.4 Computations/Calculations ..... 3 - 8

    3.4.5 Downstream/Down-Gradient Analysis ..... 3 - 9

3.5 Other Submittal Elements ..... 3 - 11

3.6 Road and Drainage Plans ..... 3 - 11

    3.6.1 Introduction..... 3 - 11

    3.6.2 Minimum Plan Elements..... 3 - 12

    3.6.3 Revisions After Plan Acceptance..... 3 - 12

3.7 Procedural..... 3 - 12

Appendix 3A – Drainage Submittal Checklist..... 3A - 1

Appendix 3B – Example – Inspection Agreement ..... 3B - 1

CHAPTER 4 – GEOTECHNICAL SITE CHARACTERIZATION<sup>11</sup>

4.1 Introduction ..... 4 - 1

4.2 Applicability..... 4 - 1

4.3 Minimum Requirements ..... 4 - 2

    4.3.1 Geotechnical Site Characterization Report..... 4 - 3

    4.3.2 Field and Laboratory Testing..... 4 - 4

    4.3.3 Sub-Level Structure Feasibility ..... 4 - 6

Appendix 4A – Grain Size Distribution Method ..... 4A - 1

Appendix 4B – Full-Scale Drywell/Drill Hole Test ..... 4C - 1

Appendix 4C – Test Pit Method ..... 4D - 1

Appendix 4D – Single-Ring Infiltrometer Test ..... 4E - 1

Appendix 4E – Swale Flood Test ..... 4F - 1

Appendix 4F – Pond Flood Test ..... 4G - 1

CHAPTER 5 – HYDROLOGIC ANALYSIS AND DESIGN

5.1 Introduction ..... 5 - 1

5.2 Hydrologic Analysis Methods..... 5 - 1

5.3 Curve Number Method..... 5 - 2

    5.3.1 NRCS Curve Number Method Theory ..... 5 - 2

    5.3.2 Design Steps..... 5 - 3

    5.3.3 Basin Areas ..... 5 - 4

    5.3.4 Hydrologic Soil Group Classification..... 5 - 4

    5.3.5 Curve Numbers ..... 5 - 5

    5.3.6 Time of Concentration ..... 5 - 8

    5.3.7 Precipitation Maps ..... 5 - 13

    5.3.8 Design Storm Distributions..... 5 - 13

5.4 Level Pool Routing Method ..... 5 - 14

5.5 Rational Method..... 5 - 15

    5.5.1 Runoff Coefficients..... 5 - 15

    5.5.2 Time of Concentration ..... 5 - 16

    5.5.3 Intensity..... 5 - 18

5.6 Bowstring Method (Modified Rational Method) ..... 5 - 19  
 5.6.1 Design Steps..... 5 - 20  
 5.7 Water Budget Method ..... 5 - 20  
 5.7.1 Water Budget Methodology..... 5 - 20  
 5.7.2 Design Steps..... 5 - 22  
 5.7.3 Curve Number Adjustment..... 5 - 23  
 5.7.4 Average Precipitation and Evaporation ..... 5 - 24  
 Appendix 5A – Precipitation Maps..... 5A - 1  
 Appendix 5B – Nrcs Type I Hyetograph ..... 5B - 1  
 Appendix 5C – Intensity-Duration-Recurrence Interval Curves ..... 5C - 1  
 Appendix 5D – Example Calculation – Weighting Cns ..... 5D - 1  
 Appendix 5E – Example Calculation – Bowstring Method..... 5E - 1  
 Appendix 5F – Example Calculation – Evaporation (Outflow Method)..... 5F - 1  
 Appendix 5G – Example Calculation – Evaporation (Full Containment Method) ..... 5G - 1

CHAPTER 6 – WATER QUALITY TREATMENT DESIGN

6.1 Introduction ..... 6 - 1  
 6.2 Treatment Goals ..... 6 - 1  
 6.2.1 Surface Water Discharges..... 6 - 1  
 6.2.2 Underground Injection Discharges ..... 6 - 2  
 6.3 Applicability ..... 6 - 3  
 6.3.1 UIC Pretreatment Applicability ..... 6 - 3  
 6.3.2 Basic Treatment Applicability ..... 6 - 5  
 6.3.3 Oil Control Applicability ..... 6 - 5  
 6.3.4 Metals Treatment Applicability ..... 6 - 6  
 6.4 Requirements for All Treatment Facilities..... 6 - 8  
 6.4.1 Water Quality Design Volume and Flow..... 6 - 8  
 6.4.2 Bypass Requirements..... 6 - 9  
 6.4.3 Sequence of Facilities ..... 6 - 9  
 6.4.4 Siting of Facilities ..... 6 - 9  
 6.5 Design Criteria for Treatment BMPs ..... 6 - 11  
 6.5.1 Infiltration Swales..... 6 - 11  
 6.5.1.1 Infiltration Swale Design ..... 6 - 12  
 6.5.1.2 Infiltration Swale Minimum Requirements ..... 6 - 14  
 6.5.2 Vegetated Filter Strips ..... 6 - 15  
 6.5.2.1 Vegetated Filter Strip Design..... 6 - 17  
 6.5.2.2 Vegetated Filter Strip Minimum Requirements..... 6 - 19  
 6.5.3 Oil/Water Separators..... 6 - 19  
 6.5.3.1 Oil/Water Separator Minimum Requirements ..... 6 - 20  
 6.5.4 Wetponds ..... 6 - 23  
 6.5.4.1 Wetpond Design..... 6 - 24  
 6.5.4.2 Wetpond Minimum Requirements..... 6 - 24  
 6.5.5 Extended Detention Dry Ponds..... 6 - 28  
 6.5.5.1 Extended Detention Dry Pond Design..... 6 - 29  
 6.5.5.2 Extended Detention Dry Pond Minimum Requirements ..... 6 - 29  
 6.5.6 Grassy Swales ..... 6 - 30

6.5.7 Sedimentation Manholes..... 6 - 32  
 6.5.8 Emerging Technologies ..... 6 - 34  
 Appendix 6A –Infiltration Swale Calculation ..... 6A - 1  
 Appendix 6B –Vegetated Filter Strip Calculation ..... 6B - 1  
 Appendix 6C – Grassy Swale Calculation..... 6C - 1  
 Appendix 6D – Mosquito Control ..... 6D - 1

CHAPTER 7 – FLOW CONTROL

7.1 Introduction ..... 7 - 1  
 7.2 Detention Facilities ..... 7 - 2  
     7.2.1 Introduction..... 7 - 2  
     7.2.2 Minimum Requirements ..... 7 - 2  
     7.2.3 Detention Ponds ..... 7 - 3  
     7.2.4 Outflow Structure Design ..... 7 - 7  
         7.2.4.1 Outflow Structure Analysis ..... 7 - 12  
     7.2.5 Other Detention Options ..... 7 - 15  
 7.3 Infiltration and Injection Facilities ..... 7 - 17  
     7.3.1 Introduction..... 7 - 17  
     7.3.2 Minimum Requirements ..... 7 - 18  
     7.3.3 Drywells ..... 7 - 21  
     7.3.4 Infiltration Swales/Ponds ..... 7 - 24  
     7.3.5 Infiltration Trenches..... 7 - 27  
     7.3.6 Drill Holes..... 7 - 31  
     7.3.7 Other Infiltration and Injection Options ..... 7 - 32  
 7.4 Evaporation Facilities..... 7 - 33  
     7.4.1 Introduction..... 7 - 33  
     7.4.2 Minimum Requirements ..... 7 - 33  
 7.5 Natural Dispersion..... 7 - 36  
     7.5.1 Introduction..... 7 - 36  
     7.5.2 Concentrated Flow Dispersion..... 7 - 36  
     7.5.3 Sheet Flow Dispersion ..... 7 - 39  
     7.5.4 Full Dispersion..... 7 - 41  
 7.6 Additional Requirements For All Facilities ..... 7 - 45  
 7.7 Special Requirements ..... 7 - 50  
     7.7.1 Special Drainage Areas..... 7 - 50  
     7.7.2 Floodplains..... 7 - 50  
     7.7.3 Wetlands and Streams..... 7 - 51  
     7.7.4 Closed Depressions ..... 7 - 52  
 7.8 Regional Stormwater Facilities ..... 7 - 52  
 Appendix 7A – Plant Selection Guidelines ..... 7A - 1

CHAPTER 8 – CONVEYANCE

8.1 Introduction ..... 8 - 1  
     8.1.1 Design Flow ..... 8 - 1  
 8.2 Constructed Channels..... 8 - 3  
     8.2.1 Channel Analysis ..... 8 - 3

8.2.2 Minimum Requirements for Constructed Channels ..... 8 - 4

8.2.3 Channel Design ..... 8 - 6

8.2.4 Preservation of Natural Location of Drainage Systems..... 8 - 9

8.3 Culverts ..... 8 - 10

8.3.1 Culvert Analysis..... 8 - 11

8.3.2 Minimum Requirements for Culverts ..... 8 - 11

8.4 Storm Drain Systems..... 8 - 15

8.4.1 Pipe Analysis ..... 8 - 15

8.4.2 Minimum Requirements ..... 8 - 15

8.4.3 Pipe Design ..... 8 - 20

8.5 Gutters ..... 8 - 21

8.5.1 Gutter Analysis ..... 8 - 22

8.5.2 Gutter Design ..... 8 - 22

8.6 Drainage Inlets ..... 8 - 24

8.6.1 Minimum Requirements ..... 8 - 25

8.6.2 Grate Inlet Design – Continuous Grades ..... 8 - 26

8.6.3 Curb Inlet Design – Continuous Grade..... 8 - 28

8.6.4 Combination Inlet Design – SAG Condition ..... 8 - 29

8.6.5 Curb Inlet Design – SAG Conditions ..... 8 - 30

Appendix 8A – Example Calculation: Non-Flooded Width..... 8A - 1

Appendix 8B – Example Calculation: Non-Flooded Width ..... 8B - 1

Appendix 8C – Example Calculation: Grate Inlet Capacity – Continuous Grade..... 8C - 1

Appendix 8D – Example Calculation: Grate Inlet Capacity – Continuous Grade ..... 8D - 1

Appendix 8E – Example Calculation: Curb Inlet Capacity – Continuous Grade..... 8E - 1

Appendix 8F – Example Calculation: Curb Inlet Capacity – Continuous Grade ..... 8F - 1

Appendix 8G – Example Calculation: Combination Inlet Capacity – SAG..... 8G - 1

Appendix 8H – Example Calculation: Curb Inlet Capacity – SAG..... 8H - 1

CHAPTER 9 – EROSION AND SEDIMENT CONTROL DESIGN

9.1 Purpose ..... 9 - 1

9.2 Applicability ..... 9 - 1

9.2.1 Exemptions ..... 9 - 2

9.3 Design Criteria ..... 9 - 3

9.4 Erosion and Sediment Control (ESC) Plan ..... 9 - 3

9.4.1 Introduction..... 9 - 3

9.4.2 Minimum Requirements for ESC Plans..... 9 - 3

9.4.3 Best Management Practices for ESC Plans ..... 9 - 4

9.4.4 Modification to ESC Plans..... 9 - 13

9.4.5 Maintenance Responsibility ..... 9 - 13

9.5 Performance Standards..... 9 - 13

Appendix 9A – ESC Standard Plan Notes..... 9A - 1

Appendix 9B – ESC BMP Design Guidelines..... 9B - 1

Appendix 9C – Sample ESC Inspection Form ..... 9C - 1

CHAPTER 10 – SOURCE CONTROL

10.1 Purpose ..... 10 - 1

    10.1.1 Goals and Objectives of Source Control..... 10 - 1

10.2 Applicability..... 10 - 1

    10.2.1 Site Uses That Require Source Control ..... 10 - 2

10.3 Structural BMPs for Common Site Uses..... 10 - 2

    10.3.1 Basic Requirements ..... 10 - 3

    10.3.2 Fuel Dispensing Facilities..... 10 - 5

    10.3.3 Above-Ground Storage of Liquid Materials ..... 10 - 9

    10.3.4 Solid Waste Storage Areas, Containers, and Trash Compactors ..... 10 - 10

    10.3.5 Exterior Storage of Bulk Materials ..... 10 - 11

    10.3.6 Material Transfer Areas/Loading Docks ..... 10 - 13

    10.3.7 Equipment and/or Vehicle Washing Facilities ..... 10 - 15

    10.3.8 Covered Vehicle Parking Areas..... 10 - 17

    10.3.9 Vehicle and Equipment Maintenance Areas..... 10 - 17

    10.3.10 Landscaped Areas including Pools, Spas, or fountain discharges ..... 10 - 18

    10.3.11 Food Service Equipment Cleaning Areas ..... 10 - 18

10.4 Operational BMPs for Common Site Uses ..... 10 - 18

    10.4.1 Paved Sidewalks And Parking Lots ..... 10 - 19

    10.4.2 Private Streets ..... 10 - 19

    10.4.3 Vehicle or Equipment Repair And Maintenance ..... 10 - 19

    10.4.4 Fueling Areas ..... 10 - 19

10.5 Development on Land with Suspected or Known Contamination..... 10 - 19

CHAPTER 11 – SITE DESIGN AND LOW IMPACT DEVELOPMENT

11.1 Purpose ..... 11 - 1

11.2 Applicability..... 11 - 1

11.3 Low Impact Development Overview ..... 11 - 2

    11.3.1 Key Strategies ..... 11 - 2

    11.3.2 How LID Differs from Conventional Stormwater Controls ..... 11 - 3

    11.3.3 How LID Differs from Smart Growth and Sustainable Development ..... 11 - 4

11.4 LID Techniques and Strategies ..... 11 - 4

    11.4.1 Specific Design Guidance..... 11 - 5

Appendix 11A – Better Site Design Strategies..... 11A - 1

Appendix 11B – Low Impact Development Design Guidelines ..... 11B - 1

Appendix 11C – Additional Resources..... 11C - 1

CHAPTER 12 – MAINTENANCE, TRACTS, AND EASEMENTS

12.1 Maintenance ..... 12 - 1

    12.1.1 Introduction..... 12 - 1

    12.1.2 Homeowner’s and Property Owner’s Association..... 12 - 1

    12.1.3 Operation and Maintenance Manual ..... 12 - 2

    12.1.4 Financial Plan..... 12 - 2

    12.1.5 Maintenance Access Requirements ..... 12 - 3

    12.1.6 Sediment Disposal ..... 12 - 4

12.2 Tracts and Easements ..... 12 - 5  
    12.2.1 Tracts..... 12 - 5  
    12.2.2 Easements ..... 12 - 5  
Appendix 12A – Sample Maintenance Agreement ..... 12A - 1  
Appendix 12B – Recommended Maintenance Criteria ..... 12B - 1  
Appendix 12C – EXample Calculation – Sinking Fund..... 12C - 1

**THIS PAGE IS INTENTIONALLY LEFT BLANK**

# FOREWORD

## OBJECTIVE AND PURPOSE

Urban development has been shown to cause changes in patterns of stormwater runoff that can affect water quality through sediment and pollutant transport into streams, wetlands, lakes and groundwater, and can also lead to negative downstream and onsite impacts if not managed properly.

The development of the Central Oregon Stormwater Manual (COSM) has been organized by the Central Oregon Intergovernmental Council and sponsored by the Cities of Bend, Madras, Prineville, Redmond and Sisters, and Crook and Deschutes Counties. Representatives from each agency have taken an active role in outlining goals for the COSM, reviewing technical content, and writing manual chapters in a process that has spanned more than five years and two editions. It is our hope that this collaborative process between Central Oregon cities and counties will provide regional standardization of stormwater design processes, and in turn protect the water quality of our streams, rivers and regional aquifer.

Pioneering work was done in the State of Washington resulting in the Eastern Washington Stormwater Manual, and then in the development of the Spokane Regional Stormwater Manual. The Spokane Regional Stormwater Manual was the starting point for the COSM. We are deeply grateful to all of those who contributed to the work in Washington State and made preparation of the COSM so much easier. In addition, we greatly appreciate the hard work and expert advice of Otak, our consultant on the COSM project, in guiding the adaptation of the Spokane Manual and producing the August 2010 update to the COSM.

The goal of this stormwater manual is to provide local engineers, developers, builders and agencies clear guidance and design standards on stormwater conveyance and treatment systems that are appropriate to our local climate, hydrogeology and geology. For example, required hydrology calculations include a snowmelt/frozen ground factor that results in larger sized facilities than would be found in more temperate areas.

The manual is intended to assist the development community with meeting the requirements for stormwater surface discharge and Underground Injection Control (UIC) water quality requirements outlined by the Oregon Department of Environmental Quality (DEQ). DEQ Stormwater and UIC staff conducted a full review of the manual and provided valuable comments and guidance towards the completion of the August 2010 update. Please see attached letter of review from DEQ.

The COSM contains minimum local requirements and standards for designing stormwater management systems within Central Oregon. The requirements apply to land development and municipal road and drainage projects in both urban and rural settings. The COSM contains procedures and assistance in the design of stormwater management facilities. It is not intended to be a textbook on hydrology or hydraulic engineering, nor is it an attempt to cover every scenario that may arise. It is intended to be sufficiently comprehensive so that its contents, along with good engineering judgment, will address the myriad drainage concerns in Central Oregon.

Where applicable, the COSM is intended to meet the intent of DEQ's design criteria for both underground injection control and discharge to waters of the state. It provides guidance on how to design stormwater management systems that meet DEQ's rule authorization requirements for underground injection of stormwater and reduce, to the maximum extent practicable (MEP), pollutants discharged to surface waters.

However, this Manual only addresses an important subset of DEQ requirements related to stormwater and underground injection. This manual is a reference to help facilitate regulatory approval. Compliance with the requirements in this Manual does not guarantee DEQ approval of projects. Project proponents should still familiarize themselves with all DEQ requirements and be prepared to comply with those requirements. DEQ's UIC rules are found in OAR 340-044.

As of August 2010, the City of Bend is the only municipality in Central Oregon subject to federal NPDES Phase II permit requirements for stormwater discharges to the Deschutes River. For at least the term of this Phase II NPDES MS4 Permit (i.e. until March 2012), the City of Bend has determined that the same requirements that apply to stormwater discharges underground will apply to river discharges. Therefore, compliance with this Manual should ensure compliance with both the UIC and Phase II Permit requirements.

The purpose of this Manual is to assist the community in achieving the overall goal of protecting water quality and receiving waters, and managing stormwater runoff to prevent adverse impacts from flooding and increased flows. It is presumed that when the criteria and standards found in this Manual are applied (which may require exceeding the minimums stated), runoff should comply with water quality standards and receiving waters should be protected against adverse impacts. Project proponents always have the option of pursuing other stormwater management practices not found in this Manual. However, the project proponent may be required to demonstrate that the stormwater management facilities proposed for the project will be able to achieve or exceed the goals set forth in the COSM.

Cities across the United States are using Low Impact Development (LID) techniques to reduce the discharge of contaminated stormwater to local water bodies and to maintain natural drainage patterns and hydrographs. LID facilities can frequently be less costly and less space consuming to construct and less costly to operate and maintain than traditional stormwater management facilities. The cities and counties of Central Oregon encourage project proponents to consider ways to incorporate LID techniques into their project designs. Chapter 11 has been included in the COSM to assist with adoption of LID techniques.

## VISION STATEMENT

Our vision is to provide a document with clearly defined stormwater management design and maintenance criteria that will serve the current and future stormwater needs in Central Oregon. The criteria in this document are meant to enhance and promote future development in a way that reasonably protects the health, safety, and welfare of current and future property owners while at the same time preserving and/or enhancing the existing natural drainage systems.

## MANUAL UPDATES

The Manual is a living document. Comments and suggestions are welcome and should be sent by e-mail to Phil Chang, COIC Program Administrator, at [pchang@coic.org](mailto:pchang@coic.org). The Manual will be updated periodically as new information becomes available. Visit [www.coic.org/stormwater](http://www.coic.org/stormwater) for update information.

The August 2010 update was completed following a public survey to solicit comments from the local engineering and development community. At the same time, DEQ staff in the Stormwater and UIC programs conducted a full review of the manual and provided valuable comments and guidance toward the completion of this update. DEQ's letter of review is attached.

Significant changes were made during this update to better define the requirements and regulations for underground injection control facilities. The current version of the manual also includes a drainage submittal checklist (Chapter 3), updated intensity-duration-frequency curves for Bend, Redmond, and Prineville developed by the Oregon Climate Service (Chapter 5), a new plant selection appendix (Chapter 7), an erosion and sediment control inspection checklist (Chapter 9), and new maintenance standards checklists (Chapter 12). A more comprehensive summary of the changes made during this manual update can be found on the COIC website.

## CENTRAL OREGON STORMWATER COMMITTEE

Ollie Fick, former Management Analyst, City of Bend  
Wendy Edde, Stormwater Program Manager, City of Bend  
Aaron Henson, Senior Planner, City of Bend  
Jeff Nelson, former Engineer, City of Bend  
Keith Bedell, Wastewater, Storm, and Water Department Supervisor, City of Madras  
Josh Smith, Planner, City of Prineville  
Scott Smith, Street Superintendent, City of Prineville  
Shannon Taylor, Operations Manager, City of Redmond  
Mike Caccavano, City Engineer, City of Redmond  
Larry Morse, Environmental Programs Coordinator, City of Redmond  
Paul Bertagna, Public Works Coordinator, City of Sisters  
Penny Keller, Roadmaster, Crook County  
George Kolb, County Engineer, Deschutes County



**THIS PAGE IS INTENTIONALLY LEFT BLANK**