

3G – Third Generation	The third generation of mobile broadband technology, used by smart phones, tablets, and other mobile devices to access the web.
4G – Fourth Generation	The fourth generation of mobile broadband technology, used by smart phones, tablets, and other mobile devices to access the web.
ADSL – Asymmetric Digital Subscriber Line	DSL service with a larger portion of the capacity devoted to downstream communications, less to upstream. Typically thought of as a residential service.
ADSS – All-Dielectric Self-Supporting	A type of optical fiber cable that contains no conductive metal elements.
AMR/AMI – Automatic Meter Reading/Advanced Metering Infrastructure	Electrical meters that measure more than simple consumption and an associated communication network to report the measurements.
Asymmetrical Broadband	Asymmetrical broadband services that provide unequal speeds, such as 10 Mbps down and 2 Mbps up
ATM – Asynchronous Transfer Mode	A data service offering that can be used for interconnection of customer’s LAN. ATM provides service from 1 Mbps to 145 Mbps utilizing Cell Relay Packets.
Backhaul	The portion of a network that transports traffic from access infrastructure to service gateways, including internet ports and telephone services.
Bandwidth	The amount of data transmitted in a given amount of time; usually measured in bits per second, kilobits per second (kbps), and Megabits per second (Mbps).
Bit	A single unit of data, either a one or a zero. In the world of broadband, bits are used to refer to

	<p>the amount of transmitted data. A kilobit (Kb) is approximately 1,000 bits. A Megabit (Mb) is approximately 1,000,000 bits. There are 8 bits in a byte (which is the unit used to measure storage space), therefore a 1 Mbps connection takes about 8 seconds to transfer 1 megabyte of data (about the size of a typical digital camera photo).</p>
BPL – Broadband over Powerline	A technology that provides broadband service over existing electrical power lines.
BPON – Broadband Passive Optical Network	BPON is a point-to-multipoint fiber-lean architecture network system which uses passive splitters to deliver signals to multiple users. Instead of running a separate strand of fiber from the CO to every customer, BPON uses a single strand of fiber to serve up to 32 subscribers.
Broadband	A descriptive term for evolving digital technologies that provide consumers with integrated access to voice, high-speed data service, video-demand services, and interactive delivery services (e.g. DSL, Cable Internet).
CableCards	A television, set-top box, or device that connects to a personal computer that can be plugged directly into a cable system to receive cable channels without having to lease a set-top box from a cable operator.
CAD – Computer Aided Design	The use of computer systems to assist in the creation, modification, analysis, or optimization of a design.
CAI – Community Anchor Institutions	The National Telecommunications and Information Administration defined CAIs in its SBDD program as “Schools, libraries, medical and healthcare providers, public safety entities, community colleges and other institutions of

	<p>higher education, and other community support organizations and entities”. Universities, colleges, community colleges, K-12 schools, libraries, health care facilities, social service providers, public safety entities, government and municipal offices are all community anchor institutions.</p>
<p>CAP – Competitive Access Provider</p>	<p>(or “Bypass Carrier”) A Company that provides network links between the customer and the Inter-Exchange Carrier or even directly to the Internet Service Provider. CAPs operate private networks independent of Local Exchange Carriers.</p>
<p>CBRS – Citizens Broadband Radio Service</p>	<p>Radio spectrum in the 3550-3700 MHz (3.5 GHz) band for high-speed wireless access using a shared spectrum approach. Spectrum is managed via a Spectrum Access System (SAS) based on users’ “tier” allowing for unlicensed uses but giving priority to licensed used.</p>
<p>Cellular</p>	<p>A mobile communications system that uses a combination of radio transmission and conventional telephone switching to permit telephone communications to and from mobile users within a specified area.</p>
<p>CLEC – Competitive Local Exchange Carrier</p>	<p>Wireline service provider that is authorized under state and Federal rules to compete with ILECs to provide local telephone service. CLECs provide telephone services in one of three ways or a combination thereof: 1) by building or rebuilding telecommunications facilities of their own, 2) by leasing capacity from another local telephone company (typically an ILEC) and reselling it, and 3) by leasing discrete parts of the ILEC network referred to as UNEs.</p>

CO – Central Office	A circuit switch where the phone lines in a geographical area come together, usually housed in a small building.
Coaxial Cable	A type of cable that can carry large amounts of bandwidth over long distances. Cable TV and cable modem service both utilize this technology.
CPE – Customer Premise Equipment	Any terminal and associated equipment located at a subscriber's premises and connected with a carrier's telecommunication channel at the demarcation point ("demarc").
CWDM – Coarse Wavelength Division Multiplexing	A technology similar to DWDM only utilizing less wavelengths in a more customer-facing application whereby less bandwidth is required per fiber.
Dark Fiber	Fiber strands that are being used, i.e. not connected to equipment to provide services. Lit fiber refers to fiber strands that are connected to equipment and power, essentially ready for service or being used for service.
Demarcation Point ("demarc")	The point at which the public switched telephone network ends and connects with the customer's on-premises wiring.
Dial-Up	A technology that provides customers with access to the Internet over an existing telephone line.
DLEC – Data Local Exchange Carrier	DLECs deliver high-speed access to the Internet, not voice. Examples of DLECs include Covad, Northpoint and Rhythms.

Downstream	Data flowing from the Internet to a computer (Surfing the net, getting E-mail, downloading a file).
DSL – Digital Subscriber Line	The use of a copper telephone line to deliver “always on” broadband Internet service.
DSLAM – Digital Subscriber Line Access Multiplier	A piece of technology installed at a telephone company’s Central Office (CO) and connects the carrier to the subscriber loop (and ultimately the customer’s PC).
DWDM – Dense Wavelength Division Multiplexing	An optical technology used to increase bandwidth over existing fiber-optic networks. DWDM works by combining and transmitting multiple signals simultaneously at different wavelengths on the same fiber. In effect, one fiber is transformed into multiple virtual fibers.
E-Rate	A Federal program that provides subsidy for voice and data circuits as well as internal network connections to qualified schools and libraries. The subsidy is based on a percentage designated by the FCC.
EON – Ethernet Optical Network	The use of Ethernet LAN packets running over a fiber network.
EvDO – Evolution Data Only	EvDO is a wireless technology that provides data connections that are 10 times as fast as a traditional modem. This has been overtaken by 4G LTE.
FCC – Federal Communications Commission	A Federal regulatory agency that is responsible for regulating interstate and international communications by radio, television, wire, satellite and cable in all 50 states, the District of Rock Falls, and U.S. territories.

FDH – Fiber Distribution Hub	A connection and distribution point for optical fiber cables.
FTTH – Fiber to the Home	A fiber-optic system that connects directly from the carrier network to the residential premises.
FTTN – Fiber to the Node	A hybrid network architecture involving optical fiber from the carrier network, terminating in a neighborhood cabinet with converts the signal from optical to electrical.
FTTP – Fiber to the premise (or FTTB – Fiber to the building)	A fiber-optic system that connects directly from the carrier network to the user premises.
GIS – Geographic Information Systems	A system designed to capture, store, manipulate, analyze, manage, and present all types of geographical data.
GPON- Gigabit-Capable Passive Optical Network	Similar to BPON, GPON allows for greater bandwidth through the use of a faster approach (up to 2.5 Gbps in current products) than BPON.
GPS – Global Positioning System	a space-based satellite navigation system that provides location and time information in all weather conditions, anywhere on or near the Earth where there is an unobstructed line of sight to four or more GPS satellites.
GSM – Global System for Mobile Communications	This is the current radio/telephone standard developed in Europe and implemented globally except in Japan and South Korea.
HD – High Definition (Video)	Video of substantially higher resolution than standard definition.
HFC – Hybrid Fiber Coaxial	An outside plant distribution cabling concept employing both fiber-optic and coaxial cable.
ICT – Information and Communications Technology	Often used as an extended synonym for information technology (IT), but it is more

	specific term that stresses the role of unified communications and the integration of telecommunications, computers as well as necessary enterprise software, middleware, storage, and audio-visual systems, which enable users to access, store, transmit, and manipulate information.
IEEE – Institute of Electrical Engineers	A professional association headquartered in New York City that is dedicated to advancing technological innovation and excellence.
ILEC – Incumbent Local Exchange Carrier	The traditional wireline telephone service providers within defined geographic areas. Prior to 1996, ILECs operated as monopolies having exclusive right and responsibility for providing local and local toll telephone service within LATAs.
Internet Peering	Internet peering is an route optimization method where parties can exchange some of their traffic without incurring transit fees.
IP-VPN – Internet Protocol-Virtual Private Network	A software-defined network offering the appearance, functionality, and usefulness of a dedicated private network.
ISDN – Integrated Services Digital Network	An alternative method to simultaneously carry voice, data, and other traffic, using the switched telephone network.
ISP – Internet Service Provider	A company providing Internet access to consumers and businesses, acting as a bridge between customer (end-user) and infrastructure owners for dial-up, cable modem and DSL services.
ITS – Intelligent Traffic System	Advanced applications which, without embodying intelligence as such, aim to provide innovative services relating to different modes of transport and traffic management and enable

	various users to be better informed and make safer, more coordinated, and 'smarter' use of transport networks.
Kbps – Kilobits per second	1,000 bits per second. A measure of how fast data can be transmitted.
LAN – Local Area Network	A geographically localized network consisting of both hardware and software. The network can link workstations within a building or multiple computers with a single wireless Internet connection.
Last Mile Infrastructure	Facilities used to provide broadband service between end-user (including residences, businesses, community anchor institutions, etc.), equipment and the appropriate access point, router or first significant aggregation point in the broadband network. Or specifically, the connection between the end user and the network provider's equipment.
LATA – Local Access and Transport Areas	A geographic area within a divested Regional Bell Operating Company is permitted to offer exchange telecommunications and exchange access service. Calls between LATAs are often thought of as long distance service. Calls within a LATA (IntraLATA) typically include local and local toll services.
Lateral	
Local Loop	A generic term for the connection between the customer's premises (home, office, etc.) and the provider's serving central office. Historically, this has been a copper wire connection; but in many areas it has transitioned to fiber optic. Also, wireless options are increasingly available for local loop capacity.

MAN – Metropolitan Area Network	A high-speed intra-city network that links multiple locations with a campus, city or LATA. A MAN typically extends as far as 30 miles.
Middle Mile Infrastructure	The list of interconnection points between the service provider and the Internet backbone. These connections are capable of very high bandwidth, speeds, and capacities and may be service assured.
Mbps – Megabits per second	1,000,000 bits per second. A measure of how fast data can be transmitted.
MPLS – Multiprotocol Label Switching	A mechanism in high-performance telecommunications networks that directs data from one network node to the next based on short path labels rather than long network addresses, avoiding complex lookups in a routing table.
ONT – Optical Network Terminal	Used to terminate the fiber-optic line, demultiplex the signal into its component parts (voice telephone, television, and Internet), and provide power to customer telephones.
Overbuilding	The practice of building excess capacity. In this context, it involves investment in additional infrastructure projects to provide competition.
OVS – Open Video Systems	OVS is a new option for those looking to offer cable television service outside the current framework of traditional regulation. It would allow more flexibility in providing service by reducing the build out requirements of new carriers.
PON – Passive Optical Network	A Passive Optical Network consists of an optical line terminator located at the Central Office and a set of associated optical network terminals located at the customer's premise. Between them lies the optical distribution network

	<p>comprised of fibers and passive splitters or couplers. In a PON network, a single piece of fiber can be run from the serving exchange out to a subdivision or office park, and then individual fiber strands to each building or serving equipment can be split from the main fiber using passive splitters / couplers. This allows for an expensive piece of fiber cable from the exchange to the customer to be shared amongst many customers, thereby dramatically lowering the overall costs of deployment for fiber to the business (FTTB) or fiber to the home (FTTH) applications.</p>
PPP – Public-Private Partnership	<p>A Public-Private Partnership (PPP) is a government service or private business venture that is funded and operated through a collaborative partnership between a government and one or more private sector organizations. In addition to being referred to as a PPP, they are sometimes called a P3, or P³.</p>
QOS – Quality of Service	<p>QoS (Quality of Service) refers to a broad collection of networking technologies and techniques. The goal of QoS is to provide guarantees on the ability of a network to deliver predictable results, which are reflected in Service Level Agreements or SLAs. Elements of network performance within the scope of QoS often include availability (uptime), bandwidth (throughput), latency (delay), and error rate. QoS involves prioritization of network traffic.</p>
RF – Radio Frequency	<p>a rate of oscillation in the range of about 3 kHz to 300 GHz, which corresponds to the frequency of radio waves, and the alternating currents which carry radio signals.</p>
Right-of-Way	<p>A legal right of passage over land owned by another. Carriers and service providers must obtain right-of-way to dig trenches or plant</p>

	poles for cable systems, and to place wireless antennae.
RMS – Resource Management System	A system used to track telecommunications assets.
RPR – Resilient Packet Ring	Also known as IEEE 802.17, is a protocol standard designed for the optimized transport of data traffic over optical fiber ring networks.
RUS – Rural Utility Service	A division of the United States Department of Agriculture, it promotes universal service in unserved and underserved areas of the country with grants, loans, and financing. Formerly known as “REA” or the Rural Electrification Administration.
SCADA – Supervisory Control and Data Acquisition	A type of industrial control system (ICS). Industrial control systems are computer controlled systems that monitor and control industrial processes that exist in the physical world.
SNMP – Simple Network Management Protocol	An Internet-standard protocol for managing devices on IP networks.
SONET – Synchronous Optical Network	A family of fiber-optic transmission rates.
Steaming	Streamed data is any information/data that is delivered from a server to a host where the data represents information that must be delivered in real time. This could be video, audio, graphics, slide shows, web tours, combinations of these, or any other real time application.
Subscribership	Subscribership is how many customers have subscribed for a particular telecommunications service.

Symmetrical Broadband	Symmetrical broadband connections provide equal download and upload speeds, such as 10 Mbps down, 10 Mbps up
Switched Network	A domestic telecommunications network usually accessed by telephone, key telephone systems, private branch exchange trunks, and data arrangements.
T-1 – Trunk Level 1	A digital transmission link with a total signaling speed of 1.544 Mbps. It is a standard for digital transmission in North America.
T-3 – Trunk Level 3	28 T1 lines or 44.736 Mbps.
UNE – Unbundled Network Element	Leased portions of a carrier’s (typically an ILEC’s) network used by another carrier to provide service to customers. Over time, the obligation to provide UNEs has been greatly narrowed, such that the most common UNE now is the UNE-Loop.
Universal Service	The idea of providing every home in the United States with basic telephone service.
Upstream/Upload	Data flowing from your computer to the Internet (sending E-mail, uploading a file).
UPS – Uninterruptable Power Supply	An electrical apparatus that provides emergency power to a load when the input power source, typically main power, fails.
USAC – Universal Service Administrative Company	An independent American nonprofit corporation designated as the administrator of the Federal Universal Service Fund (USF) by the Federal Communications Commission.
VDSL – Very High Data Rate Digital Subscriber Line	A developing digital subscriber line (DSL) technology providing data transmission faster than ADSL over a single flat untwisted or twisted pair of copper wires (up to 52 Mbit/s)

	downstream and 16 Mbit/s upstream), and on coaxial cable (up to 85 Mbit/s down and upstream); using the frequency band from 25 kHz to 12 MHz.
Video on Demand	A service that allows users to remotely choose a movie from a digital library whenever they like and be able to pause, fast-forward, and rewind their selection.
VLAN – Virtual Local Area Network	In computer networking, a single layer-2 network may be partitioned to create multiple distinct broadcast domains, which are mutually isolated so that packets can only pass between them via one or more routers; such a domain is referred to as a Virtual Local Area Network, Virtual LAN or VLAN.
VoIP – Voice over Internet Protocol	An application that employs a data network (using a broadband connection) to transmit voice conversations using Internet Protocol.
VPN – Virtual Private Network	A virtual private network (VPN) extends a private network across a public network, such as the Internet. It enables a computer to send and receive data across shared or public networks as if it were directly connected to the private network, while benefitting from the functionality, security and management policies of the private network. This is done by establishing a virtual point-to-point connection through the use of dedicated connections, encryption, or a combination of the two.
WAN – Wide Area Network	A network that covers a broad area (i.e., any telecommunications network that links across metropolitan, regional, or national boundaries) using private or public network transports.
Wi-Fi	WiFi is a popular technology that allows an electronic device to exchange data or connect to

	<p>the Internet wirelessly using radio waves. The Wi-Fi Alliance defines Wi-Fi as any "wireless local area network (WLAN) products that are based on the Institute of Electrical and Electronics Engineers' (IEEE) 802.11 standards".</p>
Wireless	<p>Telephone service transmitted via cellular, PCS, satellite, or other technologies that do not require the telephone to be connected to a land-based line.</p>
Wireless Internet	<p>1) Internet applications and access using mobile devices such as cell phones and palm devices. 2) Broadband Internet service provided via wireless connection, such as satellite or tower transmitters.</p>
Wireline	<p>Service based on infrastructure on or near the ground, such as copper telephone wires or coaxial cable underground or on telephone poles.</p>